

# 1 - INTRODUCTION

- 1.1 This guidance note is aimed at applicants for domestic extensions, their architects and all others involved in the design and siting of extensions and alterations. It contains the general principles and guidelines that the Council will use to assess proposals for domestic extensions.
- 1.2 Whilst these guidelines seek to provide some clarity on this issue, **all proposals will be considered on their individual merits**, and the Council acknowledge that there may be certain circumstances where the standards are not applicable.
- 1.3 The advice note provides supplementary guidance to the following Policy for house extensions in the Bury Unitary Development Plan:

## **Policy H2/3 – Extensions and Alterations**

**Applications for house extensions and alterations will be considered with regard to the following factors:**

- a) **the size, height, shape, design and external appearance of the proposal;**
- b) **the character of the property in question and the surrounding area;**
- c) **the amenity of adjacent properties; and**
- d) **visibility for pedestrians, cyclists and drivers of motor vehicles.**

### **Justification**

This policy is concerned with ensuring that extensions and alterations to residential properties are of a high standard. Extensions and alterations to dwellings, including garden extensions and garages, can be visually intrusive; restrict daylight, privacy and outlook to neighbouring properties; and unacceptably reduce the available garden area. For all these reasons it is necessary to adopt standards to control the design, form and size of proposed extensions and alterations to ensure that they are sympathetic in nature with the original building and surrounding area. The Council will issue more specific guidance on these matters as necessary.

- 1.4 Further advice can be obtained by contacting Bury's Development Control teams (see Section 5) and it is strongly advised that proposals are discussed in advance of a formal planning application.

## **Does Your House Extension Need Planning Permission / Building Regulations?**

- 1.5 Homeowners have certain rights to extend their home without the need for planning permission. These rights are contained in the Town and Country Planning (General Permitted Development) Order, 1995 and are referred to as Permitted Development.
- 1.6 Interpretation of the Order can be quite complicated but in general, many extensions to dwellings such as porches, outbuildings or conservatories may be permitted depending on their siting, dimensions and whether alterations or extensions have been carried out before.
- 1.7 However, some dwellings may have had their Permitted Development rights removed and therefore planning permission may be required to carry out an extension regardless of its size. Therefore, those proposing a domestic alteration or extension **should always check with a planning officer from Bury Council on the need for planning permission before building work is started**. This can be done by submitting an accurate site plan and dimensioned sketch of the proposed work.
- 1.8 In addition to planning permission (and in some cases where planning permission is not required), most structural alterations or extensions to dwellings will require Building Regulations Approval. Advice on this issue can be obtained from the Council's Building Control Section and a contact is given at the back of this guidance (see Section 5).
- 1.9 Further information and advice on both Planning issues and Building Control Regulations can be found on the Council's web site <http://www.bury.gov.uk/Planning/home.htm>.
- 1.10 Applicants should also be aware that planning permission does not bestow a right to build. Other issues, such as landowners consent, Party Wall Act and the specific deeds of a property will need to be considered.



---

## **2 - GENERAL GUIDANCE APPLICABLE TO ALL EXTENSIONS**

---

- 2.1 A frequent problem with domestic extensions is when incompatible designs and materials are applied to a proposal, resulting in a poor relationship with the original building or street scene. Therefore, any application for a domestic extension will not be permitted unless the proposal:

- achieves a high standard of design;
- complements the original building through the use of matching materials and by reflecting the design, detail, proportion, scale and style of the original building, so not to dominate it;
- does not detract from the character of neighbouring properties through siting, excessive bulk, ill-matched materials or inconsistent design;
- does not detract from the appearance of the street-scene or general character of the surrounding area;
- does not significantly reduce the amount of daylight and sunlight enjoyed by neighbouring properties;
- does not invade privacy through direct overlooking from windows or balconies;
- does not significantly reduce the amount of usable amenity space for the property or adjacent property to an unacceptable degree;
- does not significantly harm the outlook of neighbouring properties;
- has regard to the visibility of pedestrians, cyclists and drivers of vehicles;
- does not require the removal of, or damage to, significant or prominent trees or other natural landscaped features; and
- has reasonable regard to safety and security, including helping to design out crime.



## 3 – DETAILED GUIDANCE

- 3.1 The general guiding principles set out in Section 2 should not be regarded in isolation and proposals should also be considered against the more detailed guidance outlined in this section for particular types of extension.

### Single Storey Extensions

- 3.2 All single-storey extensions should have regard to the following advice:

- they should give the appearance of being designed as part of the original building;
- the massing, bulk, scale and height of the extension should be proportionate to the existing dwelling;
- the proposal should not have a detrimental impact on privacy, overlooking and overshadowing;
- materials should complement the existing dwelling materials; and
- they should not have a significant detrimental impact on adjacent properties or the street scene.

### Single-Storey Side Extensions


- 3.3 In addition to the advice in para. 3.2, all single-storey side extensions should have regard to the following issues:

- extensions should be set back from the original building frontage by at least a brick course to avoid untidy jointing;
- flat roof side-extensions will not be permitted;
- features, such as doors, windows and roof style and eaves, should reflect the original dwelling in terms of shape, size, alignment and architectural integrity;
- single storey side extensions on corner plots should not occupy more than half of the available width of the side area;
- they should not involve the loss of existing off-street car parking unless adequate provision is provided elsewhere within the domestic curtilage; and
- windows should be located to avoid overlooking directly into neighbouring properties, including their gardens.

### Single-Storey Rear Extensions

- 3.4 In addition to the advice in para. 3.2, all single-storey rear extensions should have regard to the following issues:


- extensions should not significantly reduce the amount of daylight and sunlight enjoyed by neighbouring properties as assessed against the 45° rule (see appendix 1);
- where the proposed extension would be close to the boundary of an adjacent property it should not project in excess of 3m from the original rear wall where there is an attached property;
- where the proposed extension would be close to the boundary of an adjacent property it should not project in excess of 3.5m from the original rear wall where the property is detached; and
- proposed extensions that would result in an unacceptable loss of outlook and a sense of oppressiveness for neighbouring residents will be refused.



### Single-Storey Front Extensions/Porches & Canopies

3.5 Generally, there will be a presumption against extensions at the front of a property due to the need to protect the character of existing street scenes. A small scale extension to the front of a property may be acceptable and the most common proposals are for front porches. In addition to the advice in para. 3.2, applications for front extensions will be considered against the following:

- existing architectural features, such as bay windows, stonework, materials and design should not be harmed;
- pitched roofs will be required;
- the size and shape should respect the height and proportions of the original dwelling; and
- they will not be permitted if they project excessively from the original front wall.



## **Conservatories**

3.6 For the avoidance of doubt, a conservatory is classified as being an extension to a dwelling in planning terms and is, therefore, subject to the same guidance and advice contained in this note. In addition to the advice in para. 3.2, applications for conservatories will have regard to the following factors:

- conservatories are normally more suited to the rear of properties where they can enhance the appearance of a property and enjoyment of a garden;
- the design should not visually harm the appearance of the original dwelling;
- the siting and design of a proposed conservatory should seek to complement the design of the original property and remain subordinate to it;
- good quality materials will give the best looking result; and
- to maintain privacy, where a conservatory is close to a building boundary of an adjacent dwelling sufficient screening either by making a side of a conservatory wall solid, or by providing boundary screening such as a wall/fence or hedge planting will be required. Other solutions can also include the use of obscure glazing on part of the proposal.


## **Two Storey / First Floor Extensions**

3.7 All two-storey extensions should have regard to the following general advice:

- they should give the appearance of being designed as part of the original building;
- the massing, bulk, scale and height of the extension should be proportionate to the existing dwelling;
- they should not have a detrimental impact on privacy, overlooking and overshadowing;
- materials should complement the existing dwelling materials;
- they should have a reasonable relationship with the domestic boundary; and
- they should not have a significant detrimental impact on the general street scene.


## **Two-Storey/First Floor Side Extensions**

- 3.8 When assessing proposals for two-storey side extensions the Council will seek to prevent the loss of gaps between buildings (terracing effect), particularly where gaps are important to the visual character of the street scene. This is to prevent two storey side extensions on semi-detached and detached dwellings creating the appearance of a terraced row of houses.



- 3.9 In addition to the advice in para. 3.7, all two-storey side extensions should have regard to the following issues:

- two-storey side extensions that would potentially produce a terracing effect will not be permitted. In order to prevent this, the Council will not accept first floor extensions that encroach a prescribed line 1.5 metres rearward down a shared boundary (see diagram below);
- flat roofed extensions will not be permitted;
- the ridge line of the extension should be lower in height than the ridge line of the existing dwelling;
- features, such as doors, windows and roof style and eaves, should reflect the original dwelling in terms of shape, size, alignment and architectural integrity;
- they should not involve the loss of existing off-street car parking unless adequate provision is provided elsewhere within the domestic curtilage;
- the extension should not lead to a significant loss of sunlight or daylight for adjacent properties as assessed against the 45° rule (see Appendix 1);
- windows should be located to avoid overlooking directly into neighbouring properties, including their gardens;
- extensions on corner plots should be set back to respect the street scene and should have suitable boundary treatments (they will be required to be set back at least 3m from any public footpath or highway verge to the side of the property); and
- proposals that would result in an unacceptable loss of outlook and a sense of oppressiveness for neighbouring residents will be refused.



## Two-Storey Rear Extensions


3.10 In addition to the advice in para. 3.7, all two-storey rear extensions should have regard to the following issues:

- permission will not be granted for 2-storey rear extensions on properties with limited rear amenity space;
- proposals for two-storey extensions on terraced properties beyond 1m will generally not be acceptable due to the impact on the amenity of adjacent properties, particularly where an adjoining property has not been extended at ground floor;
- the Council will allow a two storey extension projecting up to 1m along the shared side boundary of an attached property;
- proposals projecting more than 1m along the shared boundary of an attached property will be assessed against the following formula which is also illustrated in the diagram overleaf;

*extension depth from original rear wall of dwelling = distance from shared side boundary minus 1m  
e.g. 3.5m depth = 3.5m - 1m (2.5)*

- flat roof extensions will not normally be permitted;
- features, such as doors, windows and roof style and eaves, should reflect the original dwelling in terms of shape, size, alignment and architectural integrity;
- extensions should not significantly reduce the amount of daylight and sunlight enjoyed by neighbouring properties as assessed against the 45° rule (see Appendix 1);
- windows should be located to avoid overlooking directly into neighbouring properties, including their gardens;
- the Council will seek to maintain a minimum distance of 10m between a habitable room window (e.g. living rooms and bedrooms) in one property and a blank flank wall of a neighbouring property; and
- the Council will seek to maintain a minimum distance of 20m between habitable room windows in properties that stand back to back with each other.






### **Extensions To Three Storey Dwellings Or Above & Apartments**

- 3.11 The above guidance concentrates on single storey and two-storey extensions. Although less common, proposals may come forward for domestic extensions on dwellings with three or more storeys and apartments. The potential for such proposals is increasing with the house-building industry introducing three-storey town houses into their developments to meet density requirements and the demand for apartments is growing with changing demographics and smaller households.
- 3.12 Any proposals for extensions on such properties will be assessed against the general guidance and standards contained in this advice note including the impact on the original property, adjacent properties and the general street scene. Factors such as design, overlooking, overshadowing, materials, scale and outlook will be taken into consideration.

### **Dormer/Roof Extensions**

- 3.13 The Council will seek to restrict the location of dormer windows to the rear of a dwelling in order to preserve the character of the street scene, especially where dormers on the front of existing neighbouring properties are absent. Proposals for dormer/roof extensions will be assessed against the following criteria;

- materials to be used for roof extensions should complement the existing roof material;
- dormers should not exceed more than one third of the width of the roof;
- dormer extensions should not project above the original ridge line;
- dormers which wrap around the side ridges of a hipped roof are not acceptable;
- the face of a dormer should be set back by a minimum of 1m behind the original wall;
- dormers should be set in from side/party walls;
- dormer windows should seek to line up vertically with existing windows and match their style and proportions;
- flat dormer roofs should be avoided, unless considered more appropriate to the particular building or the street scene;
- any dormer which results in undue overlooking of a neighbouring property will be unacceptable;
- properties with limited roof space due to shallow pitches may be unable to incorporate dormers successfully. Where this is the case the Council will seek to avoid unacceptably large dormers that are disproportionate to the original building and are out of character with the street scene;
- the Council will not approve proposals for a change from a hipped roof to a gable end; and
- the Council will encourage the conversion of existing flat roofs to pitched roofs.



## **Garden Structures**

3.14 Where planning permission for garden structures is needed (e.g. summerhouses, sheds and greenhouses) proposals will be assessed with regard to the following issues:

- **garden structures will not be allowed to the front of domestic properties;**
- **they should be in proportion to the existing dwelling; and**
- **they will be considered against the general principles included in this guidance note including amenity concerns and visual dominance.**

## **Granny Annexes**


3.15 Proposals to build a ‘granny annexe’ will be considered on the individual merits of a scheme, having regard to the general advice contained within this guidance note. In addition, the following criteria will normally be applicable to proposals for granny annexes:

- **they are physically connected to the main property;**
- **they remain ancillary to the original dwelling at all times, which may require legal agreements to prevent the annexe from being let or sold separately;**
- **they should not have separate vehicular access; and**
- **they should only have one bedroom.**

## **Garages / Car Ports**


3.16 Although domestic garages and car ports may not require planning permission, planning officers should be consulted as to whether particular proposals would require such consent. As with all extensions, proposals for garages and car ports that are over dominant in relation to the existing and surrounding properties will not be approved, particularly in prominent locations. Therefore:

- the Council will seek to ensure that that there remains the ability to accommodate at least one vehicle length of 5.5m within the curtilage of the property after the construction of a garage extension;
- proposals should respect the style, shape and architectural features of the original dwelling;
- materials should complement the existing dwelling materials; and
- as with all extensions, the Council will seek to ensure that garages do not have a detrimental impact on neighbouring properties, such as undue overshadowing of a garden or a principal window due to the bulk and proximity of a garage.




### Garden Space

3.17 The Council is keen to ensure that enough private garden space is left after any extensions in order to avoid overdevelopment and protect neighbouring amenity.



- 3.18 Although proposals for hardstanding forecourts may not require planning permission, planning officers should be consulted as to whether particular proposals would require such consent as Permitted Development rights may have been removed. In many instances, the development of forecourts has harmed the traditional layouts and setting of some streets. Therefore, the Council will seek to retain front garden space and features such as original walls or landscaping which add to the value of quality streetscapes.



- 3.19 Applicants can make proposals for forecourts more acceptable by retaining as much sense of enclosure as is practical by the retention or introduction of boundary features, such as railings, gates and hedges for example. Minimising areas of hard surfacing and generous planting can also limit the impact of such proposals.

---

## 4 - OTHER CONSIDERATIONS

---

- 4.1 In addition to the general principles and detailed guidelines outlined above, applicants should also take account of the following issues which may affect proposals.
- ***Highway Safety:*** proposals for extensions, particularly front and side extensions, should allow for the safe manoeuvrability of vehicles entering and leaving a property. As a general rule, alterations and extensions should not involve the loss of existing off-street car parking unless adequate provision is provided elsewhere within the domestic curtilage. In order to enable a vehicle to stand clear of the highway, a minimum hardstanding length of 5m should be accommodated within the curtilage of the property after the construction of an extension (excluding a garage extension which requires a minimum driveway length of 5.5 m measured between the highway boundary and any proposed garage doors). Proposals that would cause an unacceptable level of danger to both pedestrians and users of roads will normally be refused.

- **Designing Out Crime:** in designing and siting proposals for extensions, applicants should consider measures that tackle safety and crime concerns, including using natural surveillance and defensible space. Simple features such as using prickly shrubs can have a positive effect on crime deterrence. Proposals that are considered to have a negative impact on crime prevention may be refused.
- **Neighbour's Consent:** if a proposal encroaches onto neighbouring land, including foundations and overhanging of gutters, the neighbour's permission will be required before work can begin. Where this is the case an applicant must serve notice on the owner and provide a Certificate B with any planning application to confirm that this has been done. Copies of the relevant certificates and notices can be obtained from the planning department or its web-site.
- **Trees and Landscaping:** proposals should not have a detrimental impact on significant and prominent trees and natural landscaped areas which make an important contribution to public amenity and the environment. Extensions should avoid being sited where they would necessitate the removal of, or damage to, quality trees and other vegetation. Applicants should also be aware that trees may be covered by a Tree Preservation Order or within a Conservation Area and the felling or lopping of such trees without the consent of the Local Authority is an offence.
- **Conservation Areas / Listed Buildings:** in addition to normal planning permission, Listed Building Consent is required for any proposed alterations to a Listed Building. Conservation Area consent is required for certain types of demolition within Conservation Areas.
- **Green Belt:** large areas of the Borough are designated as Green Belt and proposals for domestic extensions in such areas will be strictly controlled to ensure that proposals do not impact on the basic character and appearance of the Green Belt. Proposals for domestic extensions in the Green Belt should not exceed a third of the volume of the original dwelling. Large parts of the Green Belt are also covered by Special Landscaped Areas and the West Pennine Moors and the Council will expect particularly high quality designs and materials in such locations.
- **General Quality:** poorly designed and badly built extensions can result from attempts to save money in the short term but a sub-standard extension will remain an eyesore for many years and does not represent a sound investment (e.g. a flat roofed extension may initially be cheaper but in the long term may require repair and/or replacement at greater cost). It is, therefore, important to obtain the services of a competent architect and a builder who will use quality materials.
- **Environmental Efficiency:** the Council will support the use of sustainable materials and proposals that make the most efficient use of resources.

## 5 - FURTHER ADVICE & CONTACTS

- 5.1 To find out more about planning or building control issues before making a formal submission the following address and contacts may be useful.

### **Planning Address & Web-Site**

Bury Metropolitan Borough Council  
Environment & Development Services  
Planning Division  
Craig House  
5 Bank Street  
Bury, BL9 0DN  
Web site: [www.bury.gov.uk/planning/home.htm](http://www.bury.gov.uk/planning/home.htm)  
Email: [planning@bury.gov.uk](mailto:planning@bury.gov.uk)

### **Phone Numbers**

**Development Control North**  
0161 253 5202 / 5322 / 5323 / 5325

**Development Control South**  
0161 253 5320/ 5321 / 5324 / 6089

**Building Control Section**  
0161 253 5289 / 5292 / 5297 / 5330

**Landscape/Tree Officer**  
0161 253 5267 / 5268

**Conservation Officer**  
0161 253 5317

## APPENDIX 1 – THE 45° RULE


The 45° rule is designed to ensure that proposals for extensions do not have a detrimental impact on a neighbouring properties right to daylight and sunlight, by avoiding unacceptable levels of overshadowing.

It is devised from the mid-point of the sill of a principal window, where two lines at 45° are measured. The plane connecting the two lines are then tilted to an angle of 25° above this rising plane. Proposals that encroach across these lines may be deemed to have an unacceptable impact on overshadowing and may not be permitted.

The two diagrams below illustrate how the 45° rule would operate in practice.

In the first example, the single storey extension shown would be acceptable if its depth is limited as shown on plan (a). However, if it extends further as shown in plan (b) it becomes unacceptable.

### Example 1 of 45° Rule



The second example is applicable if the dwellings are staggered. The extension shown on the plan encroaches across the 45° line. However, if the extension is single storey and below the 25° line (elevation (a)) then it would be in accordance with the 45° rule. However, if the proposal is two storey and it encroaches on the 25° line (elevation (b)) it becomes unacceptable.

### Example 2 of 45° Rule

